



Rev	AWO #	Description	Date	Appr
-		RELEASED	2/04/10	

APPROVED: _____ TITLE: _____
 DATE: _____



ASSEMBLY

SPECIFICATIONS:

Material: Insulator: PBT, glass reinforced, rated UL 94V-0
 Insulator color: Black
 Contacts: Phosphor Bronze
 Shell: SPCC, Nickel plated
 Plating: Gold flash over Nickel underplate on contact area, Tin over Copper underplate on tails.



UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE IN INCHES [MM]
 TOLERANCES: EXCEPT AS NOTED
 INCHES: .XX ± .10 ØXX ± .015
 .XXX ± .015








MICRO USB 3.0 B TYPE, MALE, 10PIN

APPROVALS	DATE	TITLE	SIZE	PART NO.	SCALE	SHEET	REV.
DRAWN	DY	2/04/10	X	MCR-BP3	NIS	1 OF 4	-
CHECKED							
APPROVED							


6 5 4 3 2 1

APPROVED: _____
 DATE: _____ TITLE: _____

Rev	AWO #	Description	Date	Appr
		SEE SHIT 1 OF 4 FOR REVISION		



LOWER SHELL



UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE INCHES [MM]
 TOLERANCES: EXCEPT AS NOTED
 INCHES: .10
 .XX ± .020
 .XXX ± .015
 .XXX ± .015

APPROVALS	DATE

DRAWN	DY	2/04/10
CHECKED		
APPROVED		

LETABEE




TITLE: MICRO USB 3.0 B TYPE, MALE, 10PIN

SIZE: X PART NO.: MCR-BP3


REF: S00042C SCALE: NTS SHEET 2 OF 4

6 5 4 3 2 1

APPROVED: _____
 DATE: _____ TITLE: _____



UPPER SHELL







UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE INCHES [MM]
 TOLERANCES: EXCEPT AS NOTED
 INCHES: .10 ± .020 ØXX ± .015
 .XX ± .015 ØXXX ± .010
 .XXX ± .015




TITLE: MICRO USB 3.0 B TYPE, MALE, 10PIN

APPROVALS	DATE
DRAWN DY	2/04/10
CHECKED	
APPROVED	

SIZE	PART NO.	REV.
X	MCR-BP3	-
REF: S00022C	SCALE: NTS	SHEET 3 OF 4



CONTACT NO. 2,3,4,6,7,9,10
 CONTACT NO. 1,5,8
 THICKNESS OF SHIELDING METAL
 FOR THE SHIELD CONTACT



BODY

UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE INCHES [MM]
 TOLERANCES: EXCEPT AS NOTED
 INCHES Holes
 .XX ± .10 ØXX ± .10
 .XX ± .020 ØXX ± .015
 .XXX ± .015 ØXXX ± .010



TITLE
 MICRO USB 3.0 B TYPE, MALE, 10PIN

APPROVALS	DATE	SIZE	PART NO.	REV.
DRAWN	DY	2/04/10	MCR-BP3	-
CHECKED				
APPROVED				

REF: S00042C SCALE: NTS SHEET 4 OF 4