





APPROVED: _____
 DATE: _____ TITLE: _____

Rev	AWO #	Description	Date	Appr
-		RELEASED	10/2/14	



SPECIFICATIONS:

Material:

SFP Cage: Copper Alloy

EMI Fingers: Copper Alloy

Light Pipe: Polycarbonate, rated UL 94V-0, Color: Clear

Temperature Rating:

Operating temperature: -40°C to +85°C

Storage temperature: -55°C to +105°C

Environmental:

Lead free, RoHS compliant



UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE INCHES [MM]
 TOLERANCES: EXCEPT AS NOTED
 INCHES HOLES

.X	± .10	Ø.X	± .10
.XX	± .020	Ø.XX	± .015
.XXX	± .015	Ø.XXX	± .010

APPROVALS		DATE
DRAWN	HR	10/2/14
CHECKED	TW	10/2/14
APPROVED		



TITLE			
SFP 1X6 CAGE W/ LIGHT PIPE			
SIZE X	PART NO. SFC-6-LP-EMI	REV. -	
REF: S00005C	SCALE: NTS	SHEET 1 OF 3	

6

5

4

3

2


1

APPROVED: _____


DATE: _____ TITLE: _____

Rev AWO # Description Date Appr



SEE SHT 1 OF 3 FOR REVISION



RECOMMENDED BEZEL CUT-OUT SINGLE SIDED APPLICATIONS



RECOMMENDED BEZEL CUT-OUT BELLY TO BELLY APPLICATIONS

MOUNTED ON PC BOARD
SHOWN THRU RECOMMENDED BEZELMOUNTED BELLY TO BELLY ON PC BOARD
SHOWN THRU RECOMMENDED BEZELUNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE INCHES [MM]
TOLERANCES: EXCEPT AS NOTED
INCHES HOLES.X ± .10 Ø.X ± .10
.XX ± .020 Ø.XX ± .015
.XXX ± .015 Ø.XXX ± .010

APPROVALS

DATE

DRAWN

HR

10/2/14

CHECKED

TW

10/2/14

APPROVED

TITLE

SFP 1X6 CAGE W/ LIGHT PIPE

SIZE

X

PART NO.

SFC-6-LP-EMI

REV.

-

REF: S00005C

SCALE: NTS

SHEET 2 OF 3

6

5

4





3

2

1

APPROVED: _____
DATE: _____ TITLE: _____

Rev	AWO #	Description	Date	Appr
SEE SHT 1 OF 3 FOR REVISION				



UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE INCHES [MM]
TOLERANCES: EXCEPT AS NOTED
INCHES HOLES
.X ± .10 Ø.X ± .10
.XX ± .020 Ø.XX ± .015
.XXX ± .015 Ø.XXX ± .010

APPROVALS		DATE
DRAWN	HR	10/2/14
CHECKED	TW	10/2/14
APPROVED		



TITLE			
SFP 1X6 CAGE W/ LIGHT PIPE			
SIZE	PART NO.	REV.	
X	SFC-6-LP-EMI	-	
REF:	S00005C	SCALE:	NTS
SHEET		3 OF 3	