

APPROVED: _____
 DATE: _____ TITLE: _____





Rev	AWO #	Description	Date	Appr
-		RELEASED	12/28/17	

D


C

B

A



DETAIL A



SPECIFICATIONS:

Material:

SFP Top Cage: Copper Alloy

SFP Bottom Cage: Copper Alloy

SFP Mid Cage: Copper Alloy

SFP Back Cage: Copper Alloy

SFP Kickout Spring: Stainless Steel

Temperature Rating:

Operating temperature: -40°C to +85°C

Storage temperature: -55°C to +105°C

Environmental:

Lead free, RoHS compliant



UNLESS OTHERWISE SPECIFIED
 ALL DIMENSIONS ARE MILLIMETERS
 TOLERANCES: EXCEPT AS NOTED
 ANGLES
 MM
 .X ± .25
 .XX ± .13
 .XXX ± .10

APPROVALS		DATE
DRAWN	HR	12/28/17
CHECKED	MY	12/28/17
APPROVED		



TITLE			
SFP 1X6 CAGE			
SIZE	PART NO.	REV.	
X	SFC-6	-	
REF:	S00005C	SCALE:	NTS
SHEET 1 OF 3			

6

5

4

3

2


1

APPROVED: _____



DATE: _____ TITLE: _____

Rev AWO # Description Date Appr


SEE SHT 1 OF 3 FOR REVISION



RECOMMENDED BEZEL CUT-OUT SINGLE SIDE APPLICATIONS

MOUNTED ON PC BOARD
SHOWN TURU RECOMMENDED BEZEL

RECOMMENDED BEZEL CUT-OUT BELLY TO BELLY APPLICATIONS

MOUNTED BELLY TO BELLY ON PC BOARD
SHOWN TURU RECOMMENDED BEZEL

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE MILLIMETERS
TOLERANCES: EXCEPT AS NOTED
ANGLES
MM
.X ± .25
.XX ± .13
.XXX ± .10

APPROVALS

DATE

DRAWN

HR

12/28/17

CHECKED

MY

12/28/17

APPROVED

TITLE

SFP 1X6 CAGE

SIZE
X

PART NO.

SFC-6

REV.
-

REF: S00005C

SCALE: NTS

SHEET 2 OF 3

6

5

4

3

2







1

APPROVED: _____

DATE: _____ TITLE: _____

Rev AWO # Description Date Appr

SEE SHT 1 OF 3 FOR REVISION

DETAIL: D
SCALE: 5:1DETAIL: B
SCALE: 3:1CROSS-HATCHED AREA
DENOTES COMPONENT AND
TRACE KEEP-OUT
(EXPECT CHASSIS GROUND)RECOMMENDED PCB CONFIGURATION WITH KEEP-OUT AREAS
SINGLE SIDED APPLICATIONSDETAIL: E
SCALE: 5:1DETAIL: C
SCALE: 3:1CROSS-HATCHED AREA
DENOTES COMPONENT AND
TRACE KEEP-OUT
(EXPECT CHASSIS GROUND)RECOMMENDED PCB CONFIGURATION WITH KEEP-OUT AREAS
BELLY TO BELLY APPLICATIONS

UNLESS OTHERWISE SPECIFIED
ALL DIMENSIONS ARE MILLIMETERS
TOLERANCES: EXCEPT AS NOTED
ANGLES
MM
.X $\pm .25$
.XX $\pm .13$
.XXX $\pm .10$

APPROVALS		DATE
DRAWN	HR	12/28/17
CHECKED	MY	12/28/17
APPROVED		

TITLE

SFP 1X6 CAGE

SIZE
X

PART NO.

SFC-6

REV.
-

REF: S00005C

SCALE: NTS

SHEET 3 OF 3